

GARAGE DOORS AND INDUSTRIAL GATES SYSTEMS

- Garage doors can be assembled not only in buildings which are under construction, but also in existing buildings. They protect open areas of industrial halls, garages, warehouses or shopping centre against trespassing, burglary and weather related damage.
- Thanks to the broad range of colours they're a perfect decorative element, evenly matched to the shape of a building. Garage Doors are made of high quality aluminium and have an increased resistance to abrasion and weather conditions.
- One of gates advantages is space saving. The gate which works vertically is a perfect solution where a ramp to the garage is short or leads directly from the roadway. It improves significantly the safety of the driver because a raised curtain of the gate does not reduce the visibility.





GARAGE DOORS SYSTEMS

INSTALLATION

BGR / SKO-P



BGR / SK



BGR / KNB



PROFILES

Aluminium profiles filled with CFC-free foam perforated or not perforated, type:



profile height: 52 mm thickness: 13 mm



profile height: 55 mm thickness: 14 mm



profile height: 77 mm thickness: 18,5 mm

Aluminium extruded profiles, type:



Supplementary aluminium profiles:







INDUSTRIAL GATES SYSTEMS

INSTALLATION





PROFILE
Aluminium extruded profiles, type:



Supplementary aluminium profiles:







GARAGE DOORS SYSTEMS

PROFILES COLOUR RANGE



The colours don't pattern faithfully upon the real colours. The availability of colours depends on the profiles' type. * Special color – on order. ** On request can be painted in any RAL color.





DRIVES AND ACCESSORIES











Motors Photocells

Handles

Pole and key switches

Drive sockets







Control units with remote controllers



Touch bar



Smart Home Automation System